



State of New Hampshire  
DEPARTMENT OF ENVIRONMENTAL SERVICES

6 Hazen Drive, P.O. Box 95, Concord, NH 03302-0095

(603) 271-1370 FAX (603) 271-1381

November 26, 2003



Kollsman, Inc.  
220 Daniel Webster Highway  
Merrimack, New Hampshire 03054

LETTER OF COMPLIANCE  
FOR  
LETTER OF DEFICIENCY  
No. WMD 03-16

Attn: Mr. Roger Sutherland, President

Kollsman, Inc.  
Merrimack, New Hampshire  
EPA ID # NHD064441132

Dear Mr. Sutherland:

On June 12, 2003, the Department of Environmental Services, Waste Management Division (DES) conducted an inspection of Kollsman, Inc. (Kollsman). The purpose of the inspection was to determine Kollsman's compliance status relative to RSA Ch. 147-A and the New Hampshire Hazardous Waste Rules, Env-Wm 100-1100.

As a result of the inspection, Kollsman was issued Letter of Deficiency No. WMD 03-16 (LoD). Based upon a review of Kollsman's submittals dated September 24, 2003 and November 13, 2003, DES has determined that your facility has corrected the deficiencies identified in the LoD.

Please be advised that DES will continue to monitor Kollsman's compliance status through record reviews and on-site inspections.

This Letter of Compliance does not release Kollsman from liability for penalties to which it may be subject for the deficiencies identified in the LoD.

If you have any questions regarding this letter, please contact the lead inspector, Jessica Cajigas or John J. Duclos, Supervisor of the Hazardous Waste Compliance Section at (603) 271-2942. Thank you for your cooperation.

Sincerely,

**COPY**  
*Kenneth W. Marschner*

Kenneth W. Marschner, Administrator  
Waste Management Programs  
Waste Management Division

cc: RCRA/DB/Compliance/ARCHIVE  
Frederick J. McGarry, P.E., DEE, Chief Engineer, Acting Director, WMD  
Gretchen Rule, Esq., DES Administrator, Legal Unit  
Leland Craig, Senior Facilities Engineer, Kollsman, Inc.

JJD/SD/SD/PM